



Walk-behind, battery-powered scrubber drier with disc engineering for deep cleaning and maintenance cleaning with an area performance of up to 1,840 m<sup>2</sup>/h.

#### Battery and on-board charger included

- Completely maintenance free; no chance of leakages; large capacity of 105 Ah for extra long run time.
- Simple to recharge at any standard power outlet.

### Tank-in-tank construction style

- Compact dimensions, long work intervals.
- Excellent insulation for the motors thanks to the lagging onboth tanks.

## 3 Disc head version

- For smooth floors or sensitive surfaces.
- Includes red medium-hard disc brush.

### Easy to change

- Disc brushes and pad drive boards are easy to change
- Thanks to a specially developed support, the disc can be changed in a matter of seconds.

## www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10

## **Technical Data and Equipment.**

## **KARCHER**



## BD 530 Bp

- Pack: maintenance-free batteries / charger
- one discSimple operation


Technical data		
Order No.		1.127-383.0
EAN code		4039784718593
Brush working width	mm	460
Vacuum working width	mm	850
Intake performance	W	1100
Battery voltage	v	24
Fresh / dirty water tank	I	40 / 40
Brush contact pressure	g/cm²	27
Max. area performance	m²/h	1840
Weight	kg	60
Dimensions (L x W x H)	mm	1250 × 560 × 1070

# BD 530 Bp, 1.127-383.0, 2015-06-02

## www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10



		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Disc brushes for BD									
Disc brush, medium	1	6.906-054.0	medium	460 mm	red	1 piece(s)		red, for all surfaces	
Disc brush, hard	2	6.906-055.0	hard	460 mm	black	1 piece(s)		black, for deep cleaning	
Disc brush, soft	3	6.906-056.0	soft	460 mm	natural	1 piece(s)		natural, for polishing	
Disc brush, very soft	4	6.906-552.0	very soft	460 mm	white	1 piece(s)		white, for maintenance cleaning or polishing	



		Order No.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
Pad drive board									
Pad drive board	1	6.906-332.0		460 mm		1 piece(s)			
Microfibre pad									
Microfibre pad	2	6.369-960.0	microfibre	457 mm	white	5 piece(s)		Excellent cleaning power. Cleans even pores of fine stonware tiles.	
Pads									
Pad, mean value soft, 457 mm	3	6.369-024.0	medium-soft	457 mm	red	5 piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning all floors. Suitable for, e.g. D 90.	
Pad, medium-hard, 457 mm	4	6.369-023.0	medium hard	457 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	
Pad, hard, 457 mm	5	6.369-022.0	hard	457 mm	black	5 piece(s)		5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	



		Order No.	Length	Colour	Quantity	Price	Description	
Suction bars and squeegees								
Squeegee adapter	1	2.642-635.0			1 piece(s)		Adapter for squeegee 8.602-517.0 to Kärcher standard squeegee intake.	
Squeegee, complete								
Suction bar	2	4.777-401.0	850 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	
	3	4.777-411.0	850 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, trans- parent polyurethane.	
	4	4.777-306.0	850 mm		1 piece(s)		Straight, without support rollers. Soft natural rubber suction lips.	
Squeegees for suction bars								
Suction lips	5	6.273-207.0	890 mm	transparent	2 parts		Standard, grooved, oil-resistant.	
	6	6.273-229.0	890 mm	transparent	2 parts		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	7	6.273-213.0	890 mm	blue	2 parts		Fluted, standard, natural rubber.	
	8	6.273-290.0	890 mm	transparent	2 parts		Closed, oil-resistant, for structured floors.	



		Order No.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
Batteries									
Battery, 12 V/76 Ah, mainte- nance-free	1	6.654-093.0	1 piece(s)	12 V	76 Ah	mainte- nance- free		Gel traction battery, maintenance-free. With 12 V/70 Ah (5h). 2 batteries required for 24 V machines, 3 required for 36 V machines.	
Battery	2	6.654-097.0	1 piece(s)	12 V	80 Ah	Low mainte- nance		2 pcs required	
Battery Chargers									
Charger	3	6.654-067.0	1 piece(s)	24 V		separate		For batteries 6.654-048.0 and 6.654-097.0	
	4	6.654-102.0	1 piece(s)	24 V		separate		For battery 6.654-093	



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
DS 3 cleaning agent dosing station	1	2.641-811.0			1 piece(s)		Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	
Filling hose	2	6.389-524.0	1.5 m		1 piece(s)		Filling hose, 1500 mm. With universal funnel. Facilitates machine filling from a water tap.	



	Order No.	Length	Diameter	Quantity		Price	Description
1	4.444-015.0	3.25 m		1			
				piece(s)			
	1	Order No.			1 4.444-015.0 3.25 m 1	1 4.444-015.0 3.25 m 1	1 4.444-015.0 3.25 m 1